

# ASSEMBLY INSTRUCTIONS

## FOR TR 4501 TODDLER RAIL

THIS CRIB CONFORMS TO APPLICABLE  
REGULATIONS PROMULGATED BY THE  
CONSUMER PRODUCT SAFETY COMMISSION

**(PLEASE REFER TO “ASSEMBLY INSTRUCTIONS FOR YOUR 4501 CONVERTIBLE CRIB”)**

If you don't have your assembly manual anymore, you can download a copy from the “Assembly manuals” section of our website [www.rominakidsfurniture.com](http://www.rominakidsfurniture.com) or request one at [contact@rominakidsfurniture.com](mailto:contact@rominakidsfurniture.com).

**WARNING:** THE PROPER USE OF THIS CRIB IS IMPORTANT FOR YOUR BABY'S SAFETY. TO KEEP YOUR BABY SECURE AND SAFE, AND TO AVOID POTENTIAL INJURY OR DEATH, CAREFULLY READ AND FAMILIARIZE YOURSELF WITH ALL WARNINGS, CAUTIONS AND INSTRUCTIONS IN THE INSTRUCTION BOOKLET. KEEP THIS INSTRUCTION BOOKLET FOR FUTURE USE.

- ANY MATTRESS USED IN THIS CRIB MUST BE AT LEAST 27 1/4 IN BY 51 5/8 IN BY 4 IN, WITH A THICKNESS NOT EXCEEDING 6 IN.
- THE MINIMUM AGE OF YOUR CHILD SHALL NOT BE LESS THAN 15 MONTHS AND THE MAXIMUM WEIGHT SHALL NOT BE GREATER THAN 50LB.

**DO NOT THROW THIS INSTRUCTION BOOKLET**

**IMPORTANT:**

**PLEASE, READ ALL INSTRUCTIONS**


**BEFORE ASSEMBLING!**

**PLEASE, SAVE INSTRUCTIONS FOR**

**FUTURE USE**



20 Corporation Row, Edison, NJ 08817  
Phone (718) 478 5100, Fax (718) 478 5117  
[www.rominafurniture.com](http://www.rominafurniture.com)



NOTE: THE STYLE OF YOUR CRIB OR OF YOUR MATTRESS SUPPORT MAY VARY FROM WHAT IS PICTURED IN THE INSTRUCTION SHEET

## STEP 1TR (Two adults are required to complete this step)

Transform your crib into a daybed by following **STEP A** from “**ASSEMBLY INSTRUCTIONS FOR YOUR 4501 CONVERTIBLE CRIB**” but don't attach the wooden rail (**WR**) listed in **STEPS B & C**. Adjust the mattress support to its lowest position (see **STEP 2** for details)

Carefully store the resulted pieces in a proper place, away from direct sunlight and moisture, taking care not to scratch the wood finish.

**Remember: the resulted hardware is not a toy!**  
**You must keep this hardware in a proper place, away from your children.**


## STEP 2TR

Attach the toddler rail (**TR**) to the footboard (**FB**) of the crib using the supplied Allen bolts (**2**). Start the thread by hand to assure you don't strip the threads, then, use the Allen wrench.

**Completely tighten** the Allen bolts.

After completing **STEP 2TR**, your crib should look like the one depicted on the first page of this instruction booklet.

### HARDWARE BOX CONTENT



**Please locate and confirm that you have the following parts:**


TR. toddler rail = 1

one bag of hardware with the following:

1. Allen wrench = 1
2. Allen bolt (60 mm - 2 3/8") = 3


**Required tools:** Allen wrench (supplied), Phillips screwdriver (not included), flat screwdriver (not included).

**CAUTION:** Do not use a power screwdriver which can cause screws to break or strip



Phillips screwdriver (not included)

 **WARNING!**  
**COMPLETELY TIGHTEN!**



**FIGURE 1**

## GENERAL FURNITURE CARE TIPS

- Wood, like any natural material is likely to present variations of grain and texture which will result in slight color variations or richness in the finish. These differences make each Romina furniture item as beautiful and unique as you and your baby are.
- To preserve the initial appearance and functionality of your furniture, it is recommended that all furniture items be used in accordance with their intended design.
- Special water-based finishes are used to make this furniture safe for your baby. These finishes may be more delicate than those used on adult furniture thus requiring careful maintenance.
- Constant rubbing or mechanical interaction with sharp/hard objects such as belt buckles, jeans' zippers or buttons will likely damage the finish on your furniture. When placing or retrieving items onto the furniture, always set them down and pick them up, do not "slide" them. Items placed onto the horizontal surfaces must be moved/rotated to prevent discoloration in the finish.
- Exposure to extreme variations of environmental conditions such as humidity and temperature can affect the finish quality due to wood sudden expansion or shrinkage. It is recommended that the room temperature be maintained in between 65 and 75 degrees Fahrenheit and a relative humidity of 35 – 40 %. Do not place items which are too hot or too cold directly onto the finished surfaces!
- Use caution when using a humidifier or vaporizer. Excessive moisture is harmful to the furniture causing the finish to peel and the wood to warp.
- Wipe up spills promptly. If water or other liquids stay in contact with the furniture for a long period of time, they can cause the finish to turn white or discolor. Alcohol or solvent containing substances or materials will permanently damage the finish.
- In general, furniture should not be placed in front or too close to air-conditioning outlets, fireplaces, heaters or humidifiers. Direct sunlight and ultraviolet rays will cause colors to fade, affect the luster and smoothness of the finish and in most cases may cause hairline cracks in the finish. White finishes will yellow naturally over time; exposure to direct sunlight will accelerate this natural process. Please note that all wood essences will darken over time along with the natural aging process which is not considered to be a quality defect.
- To clean the furniture, use a damp cloth immediately followed by wiping with a dry cloth. Do not allow water to stay in contact with the finish as it will damage the finish.
- If you need to put your furniture into storage for any period of time, avoid placing it in damp basements or hot attics. Air flow around and under the furniture should be allowed. Do not place furniture too close to walls, do not stack anything on it and do not cover it entirely.
- When using a vinyl changing pad or similar plastic accessories, make sure to use a fabric felt underneath. Certain plastics have ingredients that can react with and damage the finish. It is recommended to rotate the changing pad's position frequently to avoid finish discoloration.